

## TCU DRUG SCREEN 5

During the last 12 months (before being locked up, if applicable) –

	Yes	No
1. Did you use larger amounts of drugs or use them for a longer time than you planned or intended? .....	<input type="radio"/>	<input type="radio"/>
2. Did you try to control or cut down on your drug use but were unable to do it? .....	<input type="radio"/>	<input type="radio"/>
3. Did you spend a lot of time getting drugs, using them, or recovering from their use? .....	<input type="radio"/>	<input type="radio"/>
4. Did you have a strong desire or urge to use drugs? .....	<input type="radio"/>	<input type="radio"/>
5. Did you get so high or sick from using drugs that it kept you from working, going to school, or caring for children? .....	<input type="radio"/>	<input type="radio"/>
6. Did you continue using drugs even when it led to social or interpersonal problems? ...	<input type="radio"/>	<input type="radio"/>
7. Did you spend less time at work, school, or with friends because of your drug use? ....	<input type="radio"/>	<input type="radio"/>
8. Did you use drugs that put you or others in physical danger? .....	<input type="radio"/>	<input type="radio"/>
9. Did you continue using drugs even when it was causing you physical or psychological problems? .....	<input type="radio"/>	<input type="radio"/>
10a. Did you need to increase the amount of a drug you were taking so that you could get the same effects as before? .....	<input type="radio"/>	<input type="radio"/>
10b. Did using the same amount of a drug lead to it having less of an effect as it did before? .....	<input type="radio"/>	<input type="radio"/>
11a. Did you get sick or have withdrawal symptoms when you quit or missed taking a drug? .....	<input type="radio"/>	<input type="radio"/>
11b. Did you ever keep taking a drug to relieve or avoid getting sick or having withdrawal symptoms? .....	<input type="radio"/>	<input type="radio"/>
12. Which drug caused the most serious problem during the last 12 months? [CHOOSE ONE]		
<input type="radio"/> None		
<input type="radio"/> Alcohol		
<input type="radio"/> Cannaboids – Marijuana ( <i>weed</i> )		
<input type="radio"/> Cannaboids – Hashish ( <i>hash</i> )		
<input type="radio"/> Synthetic Marijuana ( <i>K2/Spice</i> )		
<input type="radio"/> Opioids – Heroin ( <i>smack</i> )		
<input type="radio"/> Opioids – Opium ( <i>tar</i> )		
<input type="radio"/> Stimulants – Powder Cocaine ( <i>coke</i> )		
<input type="radio"/> Stimulants – Crack Cocaine ( <i>rock</i> )		
<input type="radio"/> Stimulants – Amphetamines ( <i>speed</i> )		
<input type="radio"/> Stimulants – Methamphetamine ( <i>meth</i> )		
<input type="radio"/> Synthetic Cathinones ( <i>Bath Salts</i> )		
<input type="radio"/> Club Drugs – MDMA/GHB/Rohypnol ( <i>Ecstasy</i> )		
<input type="radio"/> Dissociative Drugs – Ketamine/PCP ( <i>Special K</i> )		
<input type="radio"/> Hallucinogens – LSD/Mushrooms ( <i>acid</i> )		
<input type="radio"/> Inhalants – Solvents ( <i>paint thinner</i> )		
<input type="radio"/> Prescription Medications – Depressants		
<input type="radio"/> Prescription Medications – Stimulants		
<input type="radio"/> Prescription Medications – Opioid Pain Relievers		
<input type="radio"/> Other (specify) _____		

13. How often did you use each type of drug during the last 12 months?	Never	Only a few times	1-3 times per month	1-5 times per week	Daily
a. Alcohol .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Cannaboids – Marijuana ( <i>weed</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Cannaboids – Hashish ( <i>hash</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Synthetic Marijuana ( <i>K2/Spice</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Opioids – Heroin ( <i>smack</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Opioids – Opium ( <i>tar</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Stimulants – Powder cocaine ( <i>coke</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Stimulants – Crack Cocaine ( <i>rock</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Stimulants – Amphetamines ( <i>speed</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Stimulants – Methamphetamine ( <i>meth</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Synthetic Cathinones ( <i>Bath Salts</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Club Drugs – MDMA/GHB/Rohypnol ( <i>Ecstasy</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Dissociative Drugs – Ketamine/PCP ( <i>Special K</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Hallucinogens – LSD/Mushrooms ( <i>acid</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Inhalants – Solvents ( <i>paint thinner</i> ) .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
p. Prescription Medications – Depressants .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
q. Prescription Medications – Stimulants .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
r. Prescription Medications – Opioid Pain Relievers .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
s. Other (specify) _____ .....	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

14. How many times before now have you ever been in a drug treatment program?  
 [DO NOT INCLUDE AA/NA/CA MEETINGS]

*Never*       *1 time*       *2 times*       *3 times*       *4 or more times*

15. How serious do you think your drug problems are?

*Not at all*       *Slightly*       *Moderately*       *Considerably*       *Extremely*

16. During the last 12 months, how often did you inject drugs with a needle?

*Never*       *Only a few times*       *1-3 times/month*       *1-5 times per week*       *Daily*

17. How important is it for you to get drug treatment now?

*Not at all*       *Slightly*       *Moderately*       *Considerably*       *Extremely*

## TCU DRUG SCREEN 5 – Opioid Supplement

**\*If the response to TCU Drug Screen 5, page 2, Q13e, Q13f, or Q13r regarding opioid use is more than “Never,” then complete the following questions.**

In the **LAST 12 MONTHS** –

**1. What types of opioids have you used?**

- a. Heroin .....  No     Yes
- b. Oxycodone (Oxycontin, Percodan, Percocet) .....  No     Yes
- c. Hydrocodone (Vicodin, Lortab, Lorcet, Norco, Zohydro) .....  No     Yes
- d. Morphine (Kadian, Avinza, MS Contin) .....  No     Yes
- e. Fentanyl (Duragesic, Fentora) .....  No     Yes
- f. Hydromorphone (Dilaudid, Exalgo) .....  No     Yes
- g. Methadone (Dolophine) .....  No     Yes
- h. Oxymorphone (Opana) .....  No     Yes
- i. Codeine (Tylenol/cough syrup with codeine) .....  No     Yes

**2. How many times did you inject an opioid?**

- Never     A few times     1-3 times/month     1-5 times per week     Daily

**3. How many times did you take an opioid in another way (e.g., ground pills and sniffed it, put a film in your mouth)?**

- Never     A few times     1-3 times/month     1-5 times per week     Daily

**4. How many times did you take an opioid prescribed for you?**

- Never     A few times     1-3 times/month     1-5 times per week     Daily

**5. How many times did you take an opioid prescribed for someone else?**

- Never     A few times     1-3 times/month     1-5 times per week     Daily

**6. From whom did you get the opioids you took?**

- a. Medical doctor/pharmacy? .....  No     Yes
- b. Family member? .....  No     Yes
- c. Friend? .....  No     Yes
- d. Someone else (e.g., “on the street”)? .....  No     Yes

**7. Have you taken opioids for medical reasons? .....  No     Yes\***

**\*IF YES,** briefly describe the reasons:

---

<input type="text"/> Client ID#	<input type="text"/> Today's Date	<input type="text"/> Facility ID#	<input type="text"/> Zip Code	<input type="text"/> Administration
------------------------------------	--------------------------------------	--------------------------------------	----------------------------------	--

8. **Have you taken opioids for non-medical reasons?** .....  *No*       *Yes\**

**\*IF YES**, briefly describe the reasons:

---

9. **Has a doctor prescribed opioid medications for you?** .....  *No*       *Yes\**

**\*IF YES:**

a. did you have the most recent prescription filled? .....  *No*       *Yes\**

b. did you take all of the medications as prescribed? .....  *No*       *Yes\**

c. did you give or sell any of your medications to someone else? .....  *No*       *Yes\**

10. **Have you taken other medications or illegal drugs for medical reasons (e.g., to treat pain)?** .....  *No*       *Yes\**

**\*IF YES**, please list:

Drug/medication: \_\_\_\_\_ Reasons for taking: \_\_\_\_\_

Drug/medication: \_\_\_\_\_ Reasons for taking: \_\_\_\_\_

Drug/medication: \_\_\_\_\_ Reasons for taking: \_\_\_\_\_

11. **Do you or someone close to you (e.g., family, friend) have access to naloxone (Narcan) to reverse an overdose?** .....  *No*       *Yes*

12. **How many times have you EVER overdosed after taking opioids?**

*Never*       *Once*       *Twice*       *3 times*       *4 or more times*

13. **In the last 12 months, how many times have you overdosed after taking opioids?**

*Never*       *Once\**       *Twice\**       *3 times\**       *4 or more times\**

**\*IF MORE THAN "NEVER," in the last 12 months:**

**a. What types of opioids did you use?**

1. Heroin .....  *No*       *Yes*

2. Oxycodone (Oxycontin, Percodan, Percocet) .....  *No*       *Yes*

3. Hydrocodone (Vicodin, Lortab, Lorcet, Norco, Zohydro) .....  *No*       *Yes*

4. Morphine (Kadian, Avinza, MS Contin) .....  *No*       *Yes*

5. Fentanyl (Duragesic, Fentora) .....  *No*       *Yes*

6. Hydromorphone (Dilaudid, Exalgo) .....  *No*       *Yes*

7. Methadone (Dolophine) .....  *No*       *Yes*

8. Oxymorphone (Opana) .....  *No*       *Yes*

9. Codeine (Tylenol/cough syrup with codeine) .....  *No*       *Yes*

<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Client ID#	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Today's Date	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Facility ID#	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Zip Code	<input type="text"/> <input type="text"/> <input type="text"/> Administration
---	---	---	---	--

**b. How many times did you go to the hospital or emergency room because of an overdose on opioids?**

- Never*   
  *Once*   
  *Twice*   
  *3 times*   
  *4 or more times*

**c. How many times were you given naloxone (Narcan) because of an overdose?**

- Never*   
  *Once*   
  *Twice*   
  *3 times*   
  *4 or more times*

**d. Have you received any follow-up treatment after the most recent overdose?** .....

- No*   
  *Yes*

**14. Have you received Medication Assisted Treatment (MAT) in the last 12 months?** .....

- No*   
  *Yes*

**15. Are you currently receiving Medication Assisted Treatment (MAT)?** .....

- No*   
  *Yes*

**\*IF YES, what type?**

- a. Methadone (Dolophine or Methadone) .....  *No*     *Yes*  
 b. Buprenorphine (Subutex, Suboxone) .....  *No*     *Yes*  
 c. Oral naltrexone (Depade, Revia) .....  *No*     *Yes*  
 d. Depot naltrexone (Vivitrol) .....  *No*     *Yes*  
 e. Other, specify: \_\_\_\_\_ .....  *No*     *Yes*

**16. Have you obtained any of these medications without a prescription?** .....

- No*   
  *Yes*

**17. Have you taken more of these medications than were prescribed?** .....

- No*   
  *Yes*