

1. Core Readiness

(Please choose a response in each row.)

	No/Unsure ▼	Somewhat ▼	Yes ▼
a. Does your facility currently use virtual services to replace face-to-face meetings, such as court appearances or release planning?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Has your facility identified specific types of jail-involved individuals (JIIs) or clinical needs that may benefit from using telehealth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Do the JIIs at your facility have medical needs that are difficult to manage?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. <i>If 1c = "yes" or "somewhat":</i> Would implementing telehealth to replace face-to-face appointments make those needs easier to manage?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Is your facility's leadership committed to telehealth development efforts?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

2. Virtual Service Selection

(Please choose a response in each row.)

	No/Unsure ▼	Somewhat ▼	Yes ▼
a. Does your facility have existing IT staff or an IT vendor that provides technical expertise, technical support, and troubleshooting?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Have staff at your facility identified what types of telecommunication connections (e.g., bandwidth and internet connectivity quality) are needed to support telehealth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Has your facility considered the "success factors" for telehealth, such as cost effectiveness, improved patient outcomes, and improved staff safety?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Does your facility have processes for staff and JIIs to provide feedback on facility services?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. <i>If 2d = "yes":</i> Could those processes be used for staff and JIIs to provide feedback on telehealth services?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

3. Costs

(Please choose a response in each row.)

	No/Unsure ▼	Somewhat ▼	Yes ▼
a. Has your facility identified the costs associated with implementing and using telehealth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Has your facility considered how it will fund any costs (e.g., equipment, software, licensing) needed to start a telehealth program?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Has your facility identified the financial benefits of implementing and using telehealth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

4. Operations

(Please choose a response in each row.)

	No/Unsure ▼	Somewhat ▼	Yes ▼
a. Has your facility determined what, if any, additional telehealth staffing support is needed to implement and maintain a telehealth program?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Has your facility determined the staff responsibilities required to manage the administrative aspects of telehealth, such as appointment scheduling?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Has your facility determined the staff responsibilities required to manage the clinical aspects of telehealth, such as providing vital signs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Has your facility identified what staffing changes may be needed to implement and maintain a telehealth program (e.g., additional staff, new responsibilities, telehealth-specific training)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Has your facility identified a space for virtual patient visits with an appropriate layout, privacy, and adequate lighting that will enable a distant provider to perform a clinical assessment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Has your facility considered emergency protocols for telehealth patients?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Has your facility considered how care for telehealth patients will be coordinated and communicated across providers?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

5. Acceptance

(Please choose a response in each row.)

	No/Unsure ▼	Somewhat ▼	Yes ▼
a. Has your facility identified one or more champions who are enthusiastic for telehealth and can keep the process moving forward once started?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Has your facility solicited interest in and input on implementing telehealth from clinical and administrative staff within your facility?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Has your facility considered what additional methods might be needed to conduct education and outreach to JIs about telehealth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Does your facility have a staff training program that could be used to train on important aspects of telehealth, such as technical issues and new procedures?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Telehealth Implementation Support Tool Scoring

Subcomponent Score

- Responses of “no/unsure” are given 1 point, responses of “somewhat” are given 2 points, and responses of “yes” are given 3 points.
- Items that are skipped due to logic are not assigned points and are not used in the denominator when calculating the subcomponent score.
- The score = [Sum of response points / Total items received * 3] * 100
- For example, if a respondent answered Section 3, Costs, as shown below, the score would be as follows:

$$\frac{[(1 + 2 + 3) * 100\%]}{(3) * 3} = 66.67\%$$

(Please choose a response in each row.)

	No/Unsure ▼	Somewhat ▼	Yes ▼
a. Has your facility identified the costs associated with implementing and using telehealth?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Has your facility considered how it will fund any capital costs (e.g., equipment, software, licensing) needed to start a telehealth program?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
c. Has your facility identified the benefits of implementing and using telehealth?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

Overall Score

- Each subcomponent contributes equally to the overall readiness score.
- An overall score can be calculated by adding all scores together and dividing by the number of subcomponents received.
- For example, a respondent received the following subcomponent scores:


Core Readiness = 66.67%
Virtual Service Selection = 58.33%
Costs = 44.40%
Operations = 42.86%
Acceptance = 75.00%

The overall score would be calculated as follows:
 $(66.67 + 58.33 + 44.40 + 42.86 + 75.00) / 5 = 57.45\%$

Understanding the Score

These definitions apply to the subcomponent and overall scores:

- ≤ 50%: Low—The facility is in the beginning stages and/or has not considered many of the aspects related to this concept or telehealth overall and would benefit from reviewing the guidance and taking appropriate action.
- > 50%–≤ 75%: Medium—The facility has considered some aspects related to this concept or telehealth overall and should review the guidance to identify areas for improvement.
- > 75%: High—The facility has considered many aspects related to this concept or telehealth overall. The guidance is available as a resource for areas in which the scoring is lower.



NEEDS ASSESSMENT

WHY IS IT IMPORTANT?

When developing a telehealth program, it is critical to understand the needs and motivation of the facility and its jail-involved individuals (JIIs) and how telehealth can meet those needs. Telehealth has a variety of applications. Identifying the specific telehealth services to offer should be based on your facility's context and JIIs' needs. Your facility should identify ways telehealth can address the needs of your facility and its JIIs.

ACTIONS TO TAKE

There are several actions to consider before telehealth implementation. These include identifying the facility's need for telehealth, assessing JIIs' current and potential medical needs, and understanding provider capabilities.

IDENTIFY YOUR FACILITY'S NEED FOR TELEHEALTH

Determine the purpose of the telehealth program at your facility and how it fits into your long-term goals. Some may be filling gaps in their current medical service, whereas others may be supplementing in-house services. Some common goals telehealth can accomplish include the following:



IMPROVING QUALITY OF CARE


- ❖ Telehealth can enhance care coordination for JIIs with chronic disease and reduce complications, improving JIIs' health and reducing costs.
- ❖ Telehealth can be used to triage JIIs with emergency needs before receiving face-to-face care. This allows physicians to provide better quality care once JIIs arrive at the clinic (Krsak et al., 2020; Rappaport et al., 2018; Sherwood et al., 2018).

MAXIMIZING EFFICIENCY

- ❖ Telehealth can be used to conduct in-house screenings (Sherwood et al., 2018) that aid in deciding whether a JII should be transferred to a facility with a higher level of care. Addressing needs onsite can eliminate unnecessary transfers.
- ❖ By eliminating unnecessary transfers, telehealth can mitigate the stress of transfers on JIIs' overall well-being (Muller, 2019).

FILLING GAPS IN CARE

- ❖ Telehealth can expand access to specialty care (Krsak et al., 2020; Young et al., 2014).



- ❖ For example, telehealth can help an offsite specialist direct an onsite clinician in conducting a physical exam.

STRENGTHENING WORKFORCE

- ❖ Many facilities have high workforce turnover, particularly for providers. If there are areas where it is difficult to obtain services in house, it might be beneficial to look to virtual services.

Confirming the purpose of the telehealth program will help when identifying which healthcare providers need to be involved in the telehealth program.

ASSESS JAIL-INVOLVED INDIVIDUALS' MEDICAL NEEDS

Identify the specific medical needs among JIIs in your facility. Knowing this will help select the proper services to meet JIIs' needs. Understanding the demographics of your JII population can help in identifying needs. For example, a population that is older and has a high incidence of diabetes may benefit from a telehealth intervention that includes a diabetes educator. Other demographic information to consider includes the following (Koivunen and Saranto, 2018):




- ❖ Age
- ❖ Socioeconomic status
- ❖ Technology literacy
- ❖ Health literacy
- ❖ Cultural aspects (e.g., if a large number of people speak a language other than English)
- ❖ Underlying health conditions
- ❖ Chronic conditions

It is also important to consider the number and type of chronic and acute conditions in the populations to narrow services. Consider reviewing current and historic clinical records to understand your JIIs' specific needs. Some common clinical needs to consider include the following:

BEHAVIORAL HEALTH SERVICES

- ❖ If there is a gap between the availability of onsite mental health services and patient needs, telehealth may be used to reach specialists and address this issue (Bouknight et al., 2015; Waugh et al., 2015).



- ❖ For example, a population with high incidence of opioid use disorder may benefit from a telehealth intervention that includes behavioral health counseling.

PERIODIC HEALTH ASSESSMENTS

- ❖ Telehealth can be used to conduct regularly occurring checkups for preventive care and for ongoing management of chronic disease. Assessments, such as physicals, may be required at the point of intake and throughout the JIIs' stay (Swift et al., 2016).

MEDICATION MANAGEMENT

- ❖ JIIs requiring regular medication may benefit from telehealth (Sherwood et al., 2018). Because many JIIs enter with existing medication needs, offering management services via telehealth can promote continuity of care and prevent adverse outcomes (National Commission on Correctional Health Care, 2009).

TRIAGE OF ACUTE CONDITIONS

- ❖ Telehealth can be used to perform initial triage and avoid bringing JII patients to a hospital unnecessarily (Krsak et al., 2020). For example, if a JII is experiencing chest pain, a provider can assess their condition via telehealth to determine whether it is emergent and help determine the best location for transfer or if the condition can be treated onsite.

SPECIALTY CARE

- ❖ JIIs may need specialty care, such as urology or cancer treatment. Access to specialists may be limited, especially for rural jails. Offsite specialists can leverage telehealth to assess and treat JIIs directly or in coordination with an onsite provider (Batastini et al., 2020).

SUPPLEMENT TO IN-PERSON VISITS

- ❖ The use of telehealth can identify radiographic and laboratory tests to be completed before an in-person visit, minimizing travel for the JII patient and maximizing the effectiveness of the in-person visit (Sherwood et al., 2018).

In some cases, JIIs may require in-person physical examinations. Telehealth paired with an onsite provider can satisfy this need without transferring the patient to a medical facility.

- ❖ Consider including an onsite clinician, such as a primary care physician, nurse practitioner, or physician assistant who can conduct in-person examinations (Swift et al., 2016).
- ❖ For specialty care, telehealth can support an offsite specialist in providing direction to the onsite clinician in completing physical examinations (Sherwood et al., 2018).
- ❖ In some areas, such as behavioral health, an in-person provider may be beneficial for all patients. Consult your provider for direction on where in-person services may be needed (Batastini et al., 2020).

Surveying JIIs at your facility to determine their level of satisfaction with existing care will also help you identify any additional gaps in care or unmet needs.

UNDERSTAND PROVIDER CAPABILITIES


Once you determine the JIIs' clinical needs, you will need to ensure that your providers have the capacity to meet those needs.



- ❖ Understand what your current provider(s) offer and whether there are unmet needs. This will help determine whether your facility will contract with existing providers to offer virtual services or whether your facility will need to find additional providers.
- ❖ Find providers in the community who can fill any existing gaps.
 - Does the provider offer virtual visits? Do they have experience providing telehealth in jails?
 - What services can the provider offer? Do they provide specialty care via telehealth? Note that service capabilities may vary between providers (Batastini et al., 2020).
- ❖ Determine whether it is necessary to contract for a provider for telehealth services.
 - Keep in mind that not all types of care can be provided via telehealth (Swift et al., 2016). The provider should have a clear sense of which services they can offer remotely, which will require in-person treatment, and how to manage JIIs' care across locations.

REFERENCES

Batastini, Ashley, Ashley Jones, Michael Lester, and Riley Davis. 2020. "Initiation of a Multidisciplinary Telemental Health Clinic for Rural Justice-Involved Populations: Rationale, Recommendations, and Lessons Learned." *Journal of Community Psychology* 48(7): 2156-2173.



Bouknight, James, Shilpa Srinivasan, Juliet Glover, and Mridul Mazumder. 2015. "Geriatric Telepsychiatry: Model Programs and Innovations in Clinical Services and Education." *American Journal of Geriatric Psychiatry* 23(3): S9.

Koivunen, Marita and Kaija Saranto. 2017. "Nursing Professionals' Experiences of the Facilitators and Barriers to the Use of Telehealth Applications: A Systematic Review of Qualitative Studies." *Scandinavian Journal of Caring Sciences* 32(1): 24-44.

Krsak, Martin, Alexiss Jeffers, Jagruti Shah, Steven Johnson, and Brian Montague. 2020. "Access to Specialty Services: Opportunities for Expansion of Telemedicine to Support Correctional Health Care in Colorado." *Telemedicine Journal and E-Health* 26(6): 776-783.

Muller, C. 2019. "Developing an Outreach Mental Health Telehealth Service Within NSW Correctional Centres." *International Journal of Mental Health Nursing* 28: 32-33.

National Commission on Correctional Health Care. Spring 2009. "Medication Services." Correct Care. Retrieved November 30, 2020, from <https://www.ncchc.org/spotlight-on-the-standards-23-2>


Rappaport, Ellen, H. Neal Reynolds, Sharon Baucom, and Thomas Lehman. 2018. "Telehealth Support of Managed Care for a Correctional System: The Open Architecture Telehealth Model." *Telemedicine Journal and E-Health* 24(1): 54-60.

Sherwood, Brenton, Yu Han, Kenneth Nepple, and Bradley Erickson. 2018. "Evaluating the Effectiveness, Efficiency and Safety of Telemedicine for Urological Care in the Male Prisoner Population." *Urology Practice* 5(1): 44-51.

Swift, Christian, Steven Cain, and Michael Needham. 2016. "A Primary Care Telehealth Experience in a US Army Correctional Facility in Germany." *U.S. Army Medical Department Journal*: 76-80.

Waugh, Maryann, Debbie Voyles, and Marshall Thomas. 2015. "Telepsychiatry: Benefits and Costs in a Changing Health-Care Environment." *International Review of Psychiatry* 27(6): 558-568.

Young, Jeremy, Mahesh Patel, Melissa Badowski, Mary Ellen Mackesy-Amiti, Pyrai Vaughn, Louis Shicker, Michael Puisis, and Lawrence Ouellet. 2014. "Improved Virologic Suppression with HIV Subspecialty Care in a Large Prison System Using Telemedicine: An Observational Study with Historical Controls." *Clinical Infectious Diseases* 59(1): 123-126.



TELEHEALTH EQUIPMENT SELECTION

WHY IS IT IMPORTANT?

When selecting equipment for a telehealth program, it is important to choose equipment that offers the needed functionality and supports quality health care delivery to jail-involved individuals (JIIs).

For more information on assessment of JII needs, see the **Needs Assessment Tip Sheet**.

ACTIONS TO TAKE

Evaluate your facility's equipment needs. It is also important to consider the compatibility and usability of the selected equipment.

HARDWARE NEEDS

Hardware needs comprise the physical telehealth equipment (e.g., monitors, video cameras, headphones, hotspots, "smart" medical devices used by JIIs during their telehealth appointments). Once hardware needs are identified, it can sometimes be more cost effective to lease equipment as opposed to purchasing it outright (Rappaport et al., 2018).


SOFTWARE NEEDS

Software needs comprise the programs needed to operate the telehealth equipment (e.g., videoconferencing platforms that connect JII patients to their providers). If a telehealth platform is purchased from a vendor, it is important to confirm which software capabilities are provided by the vendor and which are add-on features.

COMPATIBILITY

Ensure that the hardware and software are compatible with the jail facility's current systems (Binder et al., 2018).

- ❖ If preexisting or recently acquired hardware or software is not compatible with the facility's current system, confirm a plan for data sharing.
- ❖ If the jail facility supports in-person health care visits with JIIs, create a process for securely sharing information between telehealth and in-person providers.
 - Outline where information from each type of visit will be stored and how it can be accessed.
 - Try to limit the number of times providers or other users need to switch between systems.



- ❖ If your jail facility purchases or leases hardware and/or software from different vendors, ensure that the devices can seamlessly integrate to avoid disruption of visits or additional costs incurred by re-purchasing new equipment.

Example

Before purchasing noise reduction microphones or headphones, check with your telehealth vendor to ensure that the hardware is compatible with the vendor's telehealth platform.

USABILITY

Ensuring usability is also a key component of equipment selection (Brewster et al., 2014).

- ❖ Training will need to be provided to jail facility staff and JIs to ensure that they are comfortable with the equipment. However, if the hardware or software is cumbersome, staff or JIs might find the technology burdensome.
- ❖ Consider the system features in relation to the population of JIs who will use the telehealth technology.


For more information on staff training and JI engagement, see the **Stakeholder Engagement Tip Sheet**.

Example

If a needs assessment confirms that those JIs eligible for telehealth services and/or correctional facility staff are not comfortable with technology, you may need a telehealth vendor that provides a straightforward patient interface.

REFERENCES

- Binder, William, Jennifer Cook, Nickalaus Gramze, and Sophia Airhart. 2018. "Telemedicine in the Intensive Care Unit: Improved Access to Care at What Cost?" *Critical Care Nursing Clinics of North America* 30(2): 289-296.
- Brewster, Liz, Gail Mountain, Bridgette Wessels, Ciara Kelly, and Mark Hawley. 2014. "Factors Affecting Front Line Staff Acceptance of Telehealth Technologies: A Mixed-Method Systematic Review." *Journal of Advanced Nursing* 70(10): 21-33.
- Rappaport, Ellen, H. Neal Reynolds, Sharon Baucom, and Thomas Lehman. 2018. "Telehealth Support of Managed Care for a Correctional System: The Open Architecture Telehealth Model." *Telemedicine Journal and E-Health* 24(1): 54-60.



BENEFITS

WHY IS IT IMPORTANT?

Quantifying the nonmonetary benefits you expect to achieve will help you set the goals of your telehealth program. Keep in mind that the nonmonetary benefits will take time to achieve as the jail-involved individuals (JIs) and providers begin using telehealth programs.

ACTIONS TO TAKE

Identify anticipated benefits based on the services you plan to provide. Benefits can be to the facility, JIs, or both.



REDUCE EMERGENCY ROOM VISITS

Example

Colorado county jails were able to demonstrate triaging of urgent/emergent acute conditions, which resulted in a reduced number of visits to the emergency room (Deslich et al., 2013).

REDUCE STIGMA

Example

Offering telehealth services in jails can reduce the stigmatic experience of bringing a JI to a health care facility wearing JI clothing and having security escorts.

INCREASE ACCESS TO CARE


Example

The U.S. Army Correctional Facility (CORFAC) successfully increased access to care to JIs located in the U.S. Army's European Theater (Swift et al., 2016). Previously, JIs would have limited access to a single provider who was available onsite only once a week. The telehealth clinic was available Monday through Friday, with appointments being made in as little as 1 day.

INCREASE ACCESS TO NECESSARY SPECIALISTS

Example

The use of telehealth helped address the shortage of psychiatry services in jails and provided access to a larger pool of providers for the California Department of Corrections and Rehabilitation (Kaftarian, 2019). The telepsychiatry program now serves approximately 30 correctional facilities across California.



IMPROVE TREATMENT RETENTION AND MEDICATION ADHERENCE

Example

One study estimated that medication compliance for urologic care in jails with telehealth management was high, at 91% (Sherwood et al., 2016).

IMPROVE HEALTH OUTCOMES

Example

Having access to multiple providers to treat mental health issues has demonstrated improved outcomes among JIs (Deslich et al., 2013). Telehealth can open access to larger mental health treatment teams, such as psychiatrists, psychologists, and psychiatric nurses.

IMPROVE PROVIDER AND PATIENT SATISFACTION

Example

Providers and inmates were satisfied with their respective telehealth experiences at the CORFAC, knowing there was a contingency plan for local emergency services if required (Swift et al., 2016).

REDUCE SAFETY RISKS

Example


Survey respondents at a correctional facility reported that using telehealth addressed concerns about transporting JIs to hospitals unnecessarily (Krsak et al., 2020). Telehealth can improve public safety because a significant proportion of escapes happen during transportation to and from hospitals.

INCREASE SAVINGS

❖ Optimization of Provider and Staff Time

Example

Telehealth consultations have not completely replaced face-to-face visits with providers but have increased efficiency and effectiveness of providers' appointments with JIs by triaging complaints (Sherwood et al., 2016, 2018).



Example

Researchers found that the asynchronous telepsychiatry model is more cost effective than a synchronous model when delivering telepsychiatry services to treat depression in JIs (Barrera-Valencia et al., 2017). Direct costs used in estimation were technology platform, connectivity, human resources, and consumables. Potential reasons for increased cost in the synchronous model are higher professional time due to the duration of the consultation and more complex infrastructure.

Example

One study estimated that national implementation of telehealth programs in correctional facilities could save over 583,000 visits and over \$270 million each year, saving almost 75% of total visits and almost 60% of current annual cost (Sherwood et al., 2018).

Example

Researchers studying the cost effectiveness of providing teledermatology services found that the cost was approximately half the cost of face-to-face dermatology visits (Zarca et al., 2018).

REFERENCES

- Barrera-Valencia, Camilo, Alexis Vladimir Benito-Devia, Consuelo Vélez-Álvarez, Mario Figueroa-Barrera, and Sandra Milena Franco-Idárraga. 2017. "Cost-Effectiveness of Synchronous vs. Asynchronous Telepsychiatry in Prison Inmates with Depression." *Revista Colombiana de Psiquiatria* 46(2): 65-73.
- Deslich, Stacie, Timothy Thistlethwaite, and Alberto Coustasse. 2013. "Telepsychiatry in Correctional Facilities: Using Technology to Improve Access and Decrease Costs of Mental Health Care in Underserved Populations." *The Permanente Journal* 17(3): 80-86.
- Kaftarian, Edward. 2019. "Lessons Learned in Prison and Jail-Based Telepsychiatry." *Current Psychiatry Reports* 21(3): 15.
- Krsak, Martin, Alexiss Jeffers, Jagruti Shah, Steven Johnson, and Brian Montague. 2020. "Access to Specialty Services: Opportunities for Expansion of Telemedicine to Support Correctional Health Care in Colorado." *Telemedicine Journal and E-Health* 26(6): 776-783.
- Sherwood, Brenton, Yu Han, Kenneth Nepple, and Bradley Erickson. 2018. "Evaluating the Effectiveness, Efficiency and Safety of Telemedicine for Urological Care in the Male Prisoner Population." *Urology Practice* 5(1): 44-51.
- Sherwood, Brenton, Kenneth Nepple, and Bradley Erickson. 2016. "Evaluating the Effectiveness of Urologic Telemedicine in Male Prisoners." *Journal of Urology* 195(4): e589.



Swift, Christian, Steven Cain, and Michael Needham. 2016. "A Primary Care Telehealth Experience in a US Army Correctional Facility in Germany." *U.S. Army Medical Department Journal*: 76-80.

Zarca, Kevin, Nathanael Charrier, Emmanuel Mahé, Fabien Guibal, Béatrice Carton, François Moreau, and Isabelle Durand-Zaleski. 2018. "Tele-Expertise for Diagnosis of Skin Lesions Is Cost-Effective in a Prison Setting: A Retrospective Cohort Study of 450 Patients." *PLoS One* 13(9): e0204545.

COSTS

WHY IS IT IMPORTANT?

Before implementing telehealth, you should consider several types of costs you may incur. Costs will vary based on the specific telehealth services you are providing, but it will be helpful to think about the startup costs, recurring costs, and any maintenance costs related to your telehealth program's infrastructure.

You will also want to explore ways to fund your telehealth program before implementation. The payer reimbursement and requirements are continuously changing, so it will be important to stay informed of the latest information.

ACTIONS TO TAKE

IDENTIFY COSTS

Some categories of infrastructure costs to consider when planning for a telehealth program in a jail include the following:



❖ Facility Costs

- Construction, renovation, or repair of space that will be used for telehealth visits
- Utilities
- Maintenance (Mateo et al., 2019)

❖ Equipment Costs

- Furniture and fixtures (Mateo et al., 2019)

❖ Staffing/Human Resources Costs

See the **Needs Assessment** and **Staffing Tip Sheets** for more information.

Telehealth programs in jails require staff with critical roles and responsibilities. It will be essential to identify what types of human resources your program will need based on your telehealth program's goals and other needs. Human resources in a telehealth program may include the following:

- Correctional staff
- Clinic staff
- Provider specialists

Example

Before working with telehealth providers, review the type of contract or service agreement that you will need in place before the provider can begin seeing patients. Some telehealth provider agreements include information on reimbursement expectations and cost sharing for telehealth equipment between the facility and the telehealth provider.

❖ **Technology Costs**

- Computers, cameras, phone service, internet, and videoconferencing equipment (Mateo et al., 2019)

Example

When selecting medical devices to use for telehealth programs, consider costs of purchasing versus leasing equipment (Rappaport et al., 2018; Zarca et al., 2018).

- Exam room equipment, devices, and installation

Example

Your equipment costs will vary based on the services you decide to provide. Highly specialized services will often require additional equipment. Some devices used by teleophthalmology include secure, web-enabled digital ophthalmoscopes or retinal cameras. Telecardiology programs may require electronic stethoscopes and an electrocardiogram that integrates telecommunication devices and digital pulse oximetry.

- Software licensing and yearly upgrades (Rappaport et al., 2018)
- Data storage and secured servers (Zarca et al., 2018)


Example

Researchers studying the cost effectiveness of providing teledermatology services found that main costs were associated with subscriptions for software and storing data in secured servers (Zarca et al., 2018).

- Technical support

Example

When selecting telehealth software, check to see how many licenses are made available and any associated annual upgrade costs.



UNDERSTAND REIMBURSEMENT AND REQUIREMENTS FROM PAYERS

You will want to know your payer's reimbursement and requirements before implementing your telehealth program. You may want to ask these questions:

- ❖ What services are reimbursed? Do some services receive higher reimbursement?
- ❖ What are the requirements for reimbursement (e.g., care setting, special coding requirements, coding identifiers, documentation requirements)?
- ❖ Are some things not reimbursed?
- ❖ Are particular identifiers needed for billing?

EXPLORE EXTERNAL SUPPORT

Many telehealth programs in jails have been implemented in collaboration with state or federal agencies, universities, and other research organizations that study the impacts of providing telehealth services to jail-involved individuals (JIIs). External support should not be exclusively relied on to develop and sustain a telehealth program, given that these types of support may be awarded for a limited period focused on implementation or be subject to other changes over time.

Example

The University of Kentucky received an \$8.8 million grant from the National Institutes of Health's (NIH's) National Institute on Drug Abuse to create the Kentucky Women's Justice Community Opioid Innovation Network (WJCOIN) (NIH Research Portfolio Online Reporting Tools, n.d.). WJCOIN is testing and studying a videoconference-based telehealth solution to connect female JIIs to community-based treatment and services before they are released.

REFERENCES


Mateo, Miguel, R Álvarez, C Cobo, JR Pallas, AM López, and L Gaité. 2019. "Telemedicine: Contributions, Difficulties and Key Factors for Implementation in the Prison Setting." *Revista Española de Sanidad Penitenciaria* 21(2): 95-105.

Rappaport, Ellen, H. Neal Reynolds, Sharon Baucom, and Thomas Lehman. 2018. "Telehealth Support of Managed Care for a Correctional System: The Open Architecture Telehealth Model." *Telemedicine Journal and E-Health* 24(1): 54-60.

NIH Research Portfolio Online Reporting Tools (RePORT). n.d. *Kentucky Women's Justice Community Opioid Innovation Network (WJCOIN)*. Washington, DC: U.S. Department of Health and Human Services. Retrieved November 24, 2020, from https://projectreporter.nih.gov/project_info_description.cfm?aid=9882789&icde=0



Zarca, Kevin, Nathanael Charrier, Emmanuel Mahé, Fabien Guibal, Béatrice Carton, François Moreau, and Isabelle Durand-Zaleski. 2018. "Tele-Expertise for Diagnosis of Skin Lesions Is Cost-Effective in a Prison Setting: A Retrospective Cohort Study of 450 Patients." *PLoS One* 13(9): e0204545.



LEGAL CONSIDERATIONS

WHY IS IT IMPORTANT?

The legal considerations surrounding the use of telehealth are continuously changing. Consequently, identifying new legal considerations and remaining compliant require a continuous cycle of evaluation.

ACTIONS TO TAKE

It is vital to confirm and remain updated on which policies and regulations apply to your telehealth implementation.


REVIEW LAWS AND REGULATIONS

Evaluate the telehealth program as you would any new service at your jail facility—what are the protocols that guide delivery? Where could staff members or providers be held liable?

- ❖ Check for state-specific guidelines; these may exist across services.
- ❖ Consider reaching out to professional organizations to inquire about telehealth laws and regulations that are applicable to your jail facilities.
- ❖ Consider informed consent. In a jail facility, implied consent to receive treatment by the jail-involved individual (JII) cannot be assumed (Pont et al., 2018). Implied consent can be assumed only if the JII is made aware of their right to refuse (Pont et al., 2018).
- ❖ Review processes around online prescribing (also known as e-prescribing) (Center for Connected Health Policy, n.d.). It is also important to consider policies around the use of telemedicine to prescribe controlled substances (Diversion Control Division, 2018).

Professional Organizations That Might Have Resources

- State-based correctional associations
- [Southern States Correctional Association](#)
- [American Correctional Association](#)
- [American Jail Association](#)
- [National Commission on Correctional Health Care](#)
- [American Telemedicine Association](#)



When should a provider prescribing controlled substances (e.g., medication-assisted treatment for opioid use disorder) register with the U.S. Drug Enforcement Administration?

"The remote Practitioner engaged in the practice of telemedicine must be registered with the DEA in the state where they are physically located and in every state where their patient(s) is (are) physically located" (Diversion Control Division, 2018).

STATE LICENSURE

Telehealth providers typically deliver services to patients who are in their same state (Crane, 2014); however, state licensing requirements vary. Most states require providers to be licensed in the originating site's state, and some require (if across state lines) the provider to be licensed in the patient's state (Office of the National Coordinator for Health Information Technology, n.d.). It will be important to check with your telehealth vendor or provider to confirm the location of providers who will be providing services to JIs in relation to the jail facility.

CREDENTIALING

If providers at your jail facility will be delivering telehealth services to other jail facilities, you will need to consider the credentialing requirements of those individual facilities. Inquire with other facilities about whether delegated credentialing (National Practitioner Data Bank, n.d.) is an option.

What is delegated credentialing?

"Delegated credentialing occurs when a health care entity gives another health care entity the authority to credential its health care practitioners" (National Practitioner Data Bank, n.d.).


STAY UPDATED

Once legal and regulatory requirements have been confirmed, establish a method to keep up with changes. The pandemic has rapidly altered the telehealth landscape (Haque, 2020). During this period of change, it is important to monitor updates and adjust your telehealth program as needed.

REFERENCES

Center for Connected Health Policy. n.d. "Online Prescribing." National Policy. Retrieved November 30, 2020, from <https://www.cchpca.org/telehealth-policy/online-prescribing>

Crane, Mark. 2014. "Exploring Telehealth Models." *Medical Economics* 91(14): 17-20.




Diversion Control Division. 2018. *Use of Telemedicine While Providing Medication Assisted Treatment (MAT)*. Springfield, VA: Drug Enforcement Administration, U.S. Department of Justice. Retrieved November 30, 2020, from https://www.samhsa.gov/sites/default/files/programs_campaigns/medication_assisted/telemedicine-dea-guidance.pdf

Haque, Saira. 2020. "Updated Guidance on Using Telehealth During This Public Health Emergency." *The Medical Care Blog*. Retrieved November 30, 2020, from <https://www.themedicalcareblog.com/updated-guidance-telehealth-covid19/>

National Practitioner Data Bank. n.d. *Delegated Credentialing*. Washington, DC: U.S. Department of Health and Human Services. Retrieved November 30, 2020, from <https://www.npdb.hrsa.gov/guidebook/DDelegatedCredentialing.jsp>

Office of the National Coordinator for Health Information Technology. n.d. *Are There State Licensing Issues Related to Telehealth?* Washington, DC: U.S. Department of Health and Human Services. Retrieved November 30, 2020, from <https://www.healthit.gov/faq/are-there-state-licensing-issues-related-telehealth>

Pont, Jörg, Stefan Enggist, Heino Stöver, Brie Williams, Robert Greifinger, and Hans Wolff. 2018. "Prison Health Care Governance: Guaranteeing Clinical Independence." *American Journal of Public Health* 108(4): 472-476.



MANAGING DATA TO ENSURE PRIVACY AND SECURITY

WHY IS IT IMPORTANT?

Securing data and safeguarding patient privacy can result in more effective communication between patients and providers (Nass et al., 2009). The Health Insurance Portability and Accountability Act of 1996 (HIPAA) is a federal law created to protect the disclosure and privacy of patients' sensitive health information (Centers for Disease Control and Prevention, 2018). Alongside HIPAA, there are also federal and state-specific patient privacy laws (Office of the National Coordinator for Health Information Technology, 2018). Consequently, it is vital to consider the regulatory compliance of data management practices before implementing a telehealth program.

What information is covered by HIPAA for jail-involved individuals (JIIs)?

"Although HIPAA may apply to inmate's medical records, the privacy of health information about individuals in pretrial release, probation, or on parole is not protected by HIPAA" (Bizzell, 2003).


ACTIONS TO TAKE

Ensuring that JIIs' data are not compromised requires management of internal and vendor-hosted data.

MANAGE DATA

Questions to consider for the management of internal documents include the following:

- ❖ Are internal documents paper based, electronic, or both? What are the security protocols for these data?
 - How are paper documents handled and stored?
 - How are electronic documents secured?
- ❖ Which jail facility staff need to have access to JII health data (Majersik et al., 2017)? If they do need access, what level of access do they need?
- ❖ How are these data accessed? How are staff made aware of these processes?
- ❖ What is the protocol for securely sharing the health-related data of JIIs with other organizations to promote care coordination?
- ❖ Are JII health data kept separate from other JII records?



SELECT AND MANAGE VENDORS

Questions to consider when selecting a telehealth vendor and during the ongoing relationship include the following:

- ❖ Does the telehealth vendor have a standard business associate agreement (BAA)? (A BAA helps to ensure that HIPAA requirements are upheld by all who have access to the information [U.S. Department of Health and Human Services, 2019])
- ❖ What privacy and security policies are in place?
- ❖ How does the vendor store patient information (Wicklund, 2018)? Will the method of information storage be altered in any way because the information belongs to JIIs?
- ❖ How does the vendor ensure compliance with state and federal regulations such as HIPAA privacy and security rules?
- ❖ What happens to the JIIs' data if the vendor goes out of business?

REFERENCES

Bizzell, Wesley. 2003. *The Protection of Inmates' Medical Records: The Challenge of HIPAA Privacy Regulations*. Retrieved November 24, 2020, from <http://www.corrections.com/articles/11103-the-protection-of-inmates-medical-records-the-challenge-of-hipaa-privacy-regulations>

Centers for Disease Control and Prevention (CDC). 2018. *Health Insurance Portability and Accountability Act of 1996 (HIPAA)*. Atlanta, GA: Author. Retrieved November 24, 2020, from <https://www.cdc.gov/php/publications/topic/hipaa.html>

Majersik, Jennifer, et al. 2017. "Utilization and Cost Savings of Neuroscience Telemedicine Clinic for State Prison Inmates (P2.182). *Neurology* 88(16).


Nass, Sharyl, Laura Levit, and Lawrence Gostin (Editors). 2009. *Beyond the HIPAA Privacy Rule: Enhancing Privacy, Improving Health Through Research*. Washington, DC: National Academies Press.

Office of the National Coordinator for Health Information Technology (ONC). 2018. *Health Information Privacy Law and Policy*. Washington, DC: U.S. Department of Health and Human Services. Retrieved November 24, 2020, from <https://www.healthit.gov/topic/health-information-privacy-law-and-policy>

U.S. Department of Health and Human Services. 2019. *Business Associates*. Washington, DC: Author. Retrieved November 24, 2020, from <https://www.hhs.gov/hipaa/for-professionals/privacy/guidance/business-associates/index.html>



Wicklund, Eric. 2018. "Picking the Right Telehealth Platform for a Small or Solo Practice." mHealth Intelligence. Retrieved October 2020 from <https://mhealthintelligence.com/features/picking-the-right-telehealth-platform-for-a-small-or-solo-practice>



PHYSICAL SPACE CONSIDERATIONS

WHY IS IT IMPORTANT?

The physical space in which the patient and provider are located has the potential to establish the patient's confidence (Heath, 2020) and enhance the quality of the visit.

ACTIONS TO TAKE

Preparing physical space for telehealth implementation in jails involves identifying and addressing physical space requirements, ensuring that jail facility staff can manage the space, and confirming that jail-involved individual (JII) patients can safely be moved to and remain in the space.

IDENTIFY PHYSICAL SPACE BEFORE TELEHEALTH IMPLEMENTATION

Characteristics of the space to consider include the following:

- ❖ **Privacy and Confidentiality.** Try to limit the number of jail facility staff and other JIIs sharing the room. However, if multiple people need access to the same space, headphones can be used during the telehealth appointment to preserve confidentiality (Kaftarian, 2019). Screens or partitions can also be used to reduce background distractions and prevent others (who are uninvolved in the JII's care) from seeing the monitor.
- ❖ **Safety and Security.** It is vital to balance patient confidentiality with safety and security (Kaftarian, 2019). It should first be feasible for facility staff to individually escort JIIs to the space where their telehealth appointment will occur (Batastini et al., 2020). If institutional policies mandate that the JII cannot be left alone in an enclosed space, headphones can be used to prevent others from overhearing the conversation (Batastini et al., 2020; Kaftarian, 2019). If the JII can be alone in an enclosed space, ensure that it is feasible for jail facility staff to monitor the JII through a window or by using a video camera.
 - Monitoring the JII is important, not only for safety and security reasons, but also to ensure that the JII is using the telehealth equipment appropriately.
 - If a JII may not be escorted anywhere, the device will be delivered to them. In this case, there may need to be multiple spaces across the facility.

Example

If an iPad is used for a telehealth encounter, monitoring the JII during the appointment ensures that the iPad is used for telehealth purposes only.


- ❖ **Connectivity.** The jail facility needs to have sufficient bandwidth (Wicklund, 2018) to promote reliable use of the technology and a consistent connection between the JII patient and their provider. It is recommended to evaluate connectivity throughout the facility and to test the equipment connectivity in a trial session before the initial clinical session (Batastini et al., 2020).
 - Hotspots are a potential solution to boost connectivity throughout the facility.
- ❖ **Quality Lighting.** Lighting in the physical space should be sufficient but not produce a glare or make it challenging to see (Heath, 2020; James, 2016) the JII. Consider using a light source that reduces shadows and allows for natural clarity.
- ❖ **Background Noise.** Although a room might be shared with other JII patients, ensure that background noise is limited (Heath, 2020), so all parties can be adequately heard. You may find that noise reduction microphones or headphones are necessary to ensure that audio and conversation are clear. Otherwise, scheduling of telehealth appointments might need to be staggered to reduce noise.
- ❖ **Sufficient Size.** The space needs to allow sufficient room for any necessary telehealth equipment while also allowing the JII patient to sit comfortably at an appropriate distance from the monitor or camera (Mauder et al., 2018).
 - If the JII will not be holding equipment (e.g., an iPad or monitor) during the telehealth encounter, ensure enough space for the device to be independently supported in front of the JII.
 - If in-person interpretation services required, ensure sufficient space/workstations for both the interpreter and JII.

For more information on telehealth equipment, see the **Telehealth Equipment Selection Tip Sheet.**

IDENTIFY EMERGENCY PROTOCOLS

Characteristics of emergency protocols include the following:

- ❖ **Protocols for Unexpected Events.** It is necessary to prepare for unexpected events (e.g., lockdowns, staff absences, or connection issues) (Wicklund, 2018). Having the necessary protocols in place will assist jail facility staff in addressing and resolving unexpected events.
- ❖ **Communication Between Jail Facility Staff and the Provider.** Given that the provider and JII patient are colocated, having a protocol to support



communication between the health care provider and facility staff is necessary to maintain patient safety, the safety of other JIs, and the safety of facility staff.

- ❖ **Onsite Emergency Contact.** Identify an onsite emergency contact who is available to address medical emergencies should they arise during the telehealth visit (Wicklund, 2018).

Example

If a provider is engaging with a JI patient through telehealth, and the patient begins to experience a medical emergency or demonstrate dangerous behavior, there needs to be a way for the provider to alert jail facility staff or identify the onsite emergency contact.

REFERENCES

Batastini, Ashley, Ashley Jones, Michael Lester, and Riley Davis. 2020. "Initiation of a Multidisciplinary Telemental Health Clinic for Rural Justice-Involved Populations: Rationale, Recommendations, and Lessons Learned." *Journal of Community Psychology* 48(7): 2156-2173.


Heath, Sara. 2020. "Communication Tips for a Good Telehealth Patient Experience." *Patient Engagement HIT*. Retrieved November 24, 2020, from <https://patientengagementhit.com/news/communication-tips-for-a-good-telehealth-patient-experience>

James, Hector. 2016. "Pediatric Neurosurgery Telemedicine Clinics: A Model to Provide Care to Geographically Underserved Areas of the United States and Its Territories." *Journal of Neurosurgery: Pediatrics* 25(6): 753-757.

Kaftarian, Edward. 2019. "Lessons Learned in Prison and Jail-Based Telepsychiatry." *Current Psychiatry Reports* 21(3): 15.

Maunder, Kirsty, Karen Walton, Peter Williams, Maree Ferguson, and Eleanor Beck. 2018. "A Framework for eHealth Readiness of Dietitians." *International Journal of Medical Informatics* 115: 43-52.

Wicklund, Eric. 2018. "Picking the Right Telehealth Platform for a Small or Solo Practice." *mHealth Intelligence*. Retrieved October 2020 from <https://mhealthintelligence.com/features/picking-the-right-telehealth-platform-for-a-small-or-solo-practice>



SCHEDULING AND WORKFLOW

WHY IS IT IMPORTANT?

With the involvement of multiple stakeholders, telehealth programs require an efficient scheduling system and comprehensive workflow. Scheduling will ensure that jail-involved individuals (JIIs) receive care in a timely manner, guarantee staff availability, and promote overall satisfaction with the program. Defining workflows will ensure that each encounter runs smoothly and efficiently.

ACTIONS TO TAKE

Your facility should consider several types of actions before and during telehealth implementation. These include creating a scheduling framework, developing streamlined workflows, and devising contingency plans.

CREATE A SCHEDULING FRAMEWORK

COORDINATE A REGULAR SCHEDULE OF CLINICAL SERVICES

- ❖ Consider any scheduling restrictions at your facility, such as mealtimes, cell counts, lockdowns, and medication distribution (Batastini et al., 2020).
- ❖ Maintain a reserved block of time in case unforeseen circumstances arise (Batastini et al., 2020).
- ❖ Ensure that all JIIs receive required care under relevant regulations, in addition to care as needed.



Example

Regulations may require JIIs to receive intake medical screenings and periodic health assessments. See the **Legal Considerations Tip Sheet** for more information on laws and regulations.

- ❖ Designate staff to oversee scheduling and coordination.

IMPLEMENT A SCHEDULING SYSTEM

- ❖ Leverage existing scheduling systems at your facility, from the provider, or from an outside vendor.
- ❖ Harmonize scheduling systems at the facility and the provider organization, so both schedules are updated simultaneously (or designate staff to update them). If an interpreter is needed, make sure they are available.

- ❖ Identify necessary requirements for each visit and ensure that they are documented (e.g., previous laboratory work).

Example

Facilities and provider sites may use internal scheduling systems that limit access to only their onsite staff. Facility and provider scheduling staff should use a common scheduling tool to automate and streamline the scheduling process.

DEVELOP STREAMLINED WORKFLOWS

Telehealth workflows include a variety of stakeholders. It is essential to create a workflow from initial referral to termination that works for your staff and the provider. If your facility already conducts telecommunications for JIIs, such as legal proceedings, you may be able to merge workflows. Some common administrative workflow elements to consider include the following (Batastini et al., 2020):




- ❖ Creating procedures for initiating referrals
- ❖ Communicating new referrals with the provider
- ❖ Securely transmitting paperwork between facilities
- ❖ Assigning clients to counselor caseloads
- ❖ Supervising facility and clinical staff
- ❖ Managing wait lists
- ❖ Tracking patient contacts and treatment progress
- ❖ Documenting incidents
- ❖ Exchanging treatment materials
- ❖ Making secondary referrals to other partners

Key telehealth encounter workflows include the following (Mateo et al., 2019):

- ❖ Connecting features of the telehealth devices
- ❖ Deciding where to place the camera, screen, and speakers or headphones
- ❖ Recording encounters, if applicable
- ❖ Conducting operational checks with the provider and interpreter (if applicable) before an encounter
- ❖ Ensuring safety and security of JIIs and staff, while maintaining privacy
- ❖ Bringing JIIs to and from the designated space for telehealth visits

For more information on safety and security, see the **Physical Space Considerations Tip Sheet.**



Document each of these workflows into standard operating procedures (SOPs) (Batastini et al., 2020). SOPs can be used or adapted to train staff or provide information to JIIs. See the **Stakeholder Engagement Tip Sheet** for more information about providing training and education.

DEVISE CONTINGENCY PLANS

If an emergency or unusual event occurs at any point during a telehealth encounter, contingency plans should be in place to guide staff. Your facility should coordinate with offsite providers to develop and harmonize technical and clinical contingency plans.

TECHNICAL

- ❖ Identify alternative communication channels if telehealth devices fail (Mateo et al., 2019).
- ❖ Ensure access to technical support at the patient and provider sites (Swift et al., 2016).
- ❖ Develop protocols for encountering technical issues during operational checks or telehealth encounters.
- ❖ Incorporate the technical contingency plan into staff and provider training (Mateo et al., 2019).


For more information on technical considerations, see the **Telehealth Equipment Selection Tip Sheet**.

Technical issues during telehealth encounters can decrease satisfaction and acceptance among patients (Batastini and Morgan, 2016; Deslich et al., 2013). Having contingency plans in place to promptly address technical issues will reduce disruptions in care and build confidence among JIIs.

CLINICAL

- ❖ Ensure access to local emergency medical services (Swift et al., 2016).
- ❖ Have onsite clinical staff poised to respond to emergencies (Mateo et al., 2019).
- ❖ Develop a protocol for identifying and responding to clinical emergencies.
- ❖ Involve role-playing scenarios in staff training procedures (Mateo et al., 2019).

Jail staff and health care professionals commonly express concerns about liability, responsibility of care, and safety and security (Woods et al., 2019). Informing all staff of contingency plans can mitigate these concerns and ensure that they can respond appropriately during emergency situations.



REFERENCES

Batastini, Ashley, Ashley Jones, Michael Lester, and Riley Davis. 2020. "Initiation of a Multidisciplinary Telemental Health Clinic for Rural Justice-Involved Populations: Rationale, Recommendations, and Lessons Learned." *Journal of Community Psychology* 48(7): 2156-2173.


Batastini, Ashley, and Robert Morgan. 2016. "Connecting the Disconnected: Preliminary Results and Lessons Learned from a Telepsychology Initiative with Special Management Inmates." *Psychological Services* 13(3): 283-291.

Deslich, Stacie, Timothy Thistlethwaite, and Alberto Coustasse. 2013. "Telepsychiatry in Correctional Facilities: Using Technology to Improve Access and Decrease Costs of Mental Health Care in Underserved Populations." *The Permanente Journal* 17(3): 80-86.

Mateo, Miguel, R Álvarez, C Cobo, JR Pallas, AM López, and L Gaité. 2019. "Telemedicine: Contributions, Difficulties and Key Factors for Implementation in the Prison Setting." *Revista Española de Sanidad Penitenciaria* 21(2): 95-105.

Swift, Christian, Steven Cain, and Michael Needham. 2016. "A Primary Care Telehealth Experience in a US Army Correctional Facility in Germany." *U.S. Army Medical Department Journal*: 76-80.

Woods, Phil, Don Leidl, Janet Luimes, and Lorna Butler. 2019. "Exploring the Delivery of Healthcare in the Police Detention Center Through Remote Presence Technology." *Journal of Forensic Nursing* 15(1): 26-34.



STAFFING

WHY IS IT IMPORTANT?

Telehealth programs rely on a variety of staff. Identifying necessary roles will guide you in organizing existing staff and hiring new ones if needed. Clearly defining responsibilities will ensure that all staff understand their contribution to the telehealth program. This is especially important because onsite staff will work closely with offsite providers to ensure that encounters are safe and productive.

ACTIONS TO TAKE

Identifying key staff and defining their roles and responsibilities will ensure that your workforce can successfully implement a telehealth program.

IDENTIFY KEY STAFF


Key staff may include but are not limited to the following:

- ❖ Onsite emergency contact for each jail-involved individual (JII) (Batastini et al., 2020)
- ❖ Onsite and offsite medical staff (Kaftarian, 2019; Llerena et al., 2018; Swift et al., 2016)
- ❖ Security personnel
- ❖ Technical support (Mateo et al., 2019; Swift et al., 2016)
- ❖ Administrative staff (communications, scheduling, compliance)
- ❖ Interpreters, if needed
- ❖ A champion to lead the effort and engage staff



Example

Larger jails (100 or more JIIs) may experience a high volume of virtual visits. It may be beneficial to appoint a staff member to schedule and facilitate all virtual visits. This staff member may require additional training and can serve as a champion for the telehealth program. See the **Staff Engagement Tip Sheet** for more information on training and identifying a champion.



DEFINE STAFF ROLES AND RESPONSIBILITIES

You may find it helpful to develop a staffing structure with roles and responsibilities for the telehealth program:

- ❖ Work with the medical staff to determine what onsite support is needed to carry out telehealth services (Swift et al., 2016).
- ❖ Assess the costs related to staffing structure.
- ❖ Outline the responsibilities of each role in a document that is easily accessible and understandable to staff (can be incorporated into a training manual or existing policies and procedures).
- ❖ Identify any changes in roles and responsibilities.
- ❖ Create a reporting structure for each role if different from what already exists (Woods et al., 2019).
- ❖ Identify any potential workforce gaps (e.g., number of staff or technical expertise).


Security personnel commonly express concerns about role conflict—balancing the responsibility to maintain safety while also addressing JIIs' health needs (Woods et al., 2019). Clearly defining the role of security personnel and providers in balancing JIIs' safety and health will mitigate these concerns and build confidence among staff.

REFERENCES

- Batastini, Ashley, Ashley Jones, Michael Lester, and Riley Davis. 2020. "Initiation of a Multidisciplinary Telemental Health Clinic for Rural Justice-Involved Populations: Rationale, Recommendations, and Lessons Learned." *Journal of Community Psychology* 48(7): 2156-2173.
- Kaftarian, Edward. 2019. "Lessons Learned in Prison and Jail-Based Telepsychiatry." *Current Psychiatry Reports* 21(3): 15.
- Llerena, Susana, Miguel Mateo, Carmen Cobo, Antonio Javier Blasco, Joaquin Cabezas, Pablo Lázaro, and Javier Crespo. 2018. "Efficiency of a Telemedicine Program in the Management of Hepatitis C in Inmates." *Hepatology* 68: 36A.
- Mateo, Miguel, R Álvarez, C Cobo, JR Pallas, AM López, and L Gaité. 2019. "Telemedicine: Contributions, Difficulties and Key Factors for Implementation in the Prison Setting." *Revista Española de Sanidad Penitenciaria* 21(2): 95-105.
- Swift, Christian, Steven Cain, and Michael Needham. 2016. "A Primary Care Telehealth Experience in a US Army Correctional Facility in Germany." *U.S. Army Medical Department Journal*: 76-80.



Woods, Phil, Don Leidl, Janet Luimes, and Lorna Butler. 2019. "Exploring the Delivery of Healthcare in the Police Detention Center Through Remote Presence Technology." *Journal of Forensic Nursing* 15(1): 26-34.



TELEHEALTH ASSESSMENT PLAN

WHY IS IT IMPORTANT?

Understanding the impact of telehealth requires a continuous process of evaluation and improvement/optimization. This can confirm the decision to keep, remove, or expand telehealth services to better meet jail-involved individuals' (JIIs') needs. An assessment of telehealth services to reach implementation and institutional goals can also be valuable in securing the buy-in of leadership and other stakeholders.

ACTIONS TO TAKE

Assessing your telehealth implementation involves identifying the goals you wish to accomplish, assess progress toward those goals, share the results of your assessment, and act on the results.

IDENTIFY THE GOALS OF THE TELEHEALTH IMPLEMENTATION

Confirm what your telehealth implementation will accomplish.

- ❖ How many JII patients are you trying to reach? What type?
- ❖ What services are you trying to make more accessible for JII patients?


ASSESS PROGRESS TOWARD GOALS

Characteristics of telehealth review include the following:

- ❖ Collaborate with facility leadership and your telehealth vendor (if available) to identify a process for reviewing telehealth sessions.
- ❖ Seek regular feedback. Obtaining ongoing feedback from jail facility staff and JIIs can improve potential shortcomings during telehealth implementation (Krsak et al., 2020).
- ❖ Confirm and routinely discuss how jail facility staff and JIIs perceive telehealth.
- ❖ Develop internal processes to ensure that telehealth services are being offered to all eligible JIIs.
- ❖ Develop internal processes to ensure that telehealth equipment is being used as intended and to its full capacity.

Example

If a telephonic stethoscope has been purchased, is it being routinely and correctly used?



Consider these factors in a telehealth assessment:

- ❖ **Technical Performance.** Technology needs (Rappaport et al., 2018), vendor alignment, and usability (Wicklund, 2018).
- ❖ **Volume.** Number of telehealth encounters, number of attempted (unsuccessful telehealth encounters), number of eligible telehealth encounters, and number of JIs in and out of the facility.
- ❖ **Acceptance from Providers, Jail Facility Staff, and JIs.** Level of engagement, satisfaction with telehealth (Rappaport et al., 2018; Swift et al., 2016), and JI preference (Swift et al., 2016).
- ❖ **Quality of Care.** Encounters able to meet JIs' expectations (Swift et al., 2016).
- ❖ **Workflow and Processes.** Integration of telehealth into preexisting facility activities, physical space needs, safety and security needs, need for additional in-person staff to support telehealth visits (Batastini et al., 2020), and risk management (Woods et al., 2019).
- ❖ **Financial Performance.** Startup costs, maintenance costs, resource management (Woods et al., 2019), medical personnel costs (Nacci et al., 2002), and escort and transport costs (Nacci et al., 2002).
- ❖ **Ongoing Assessment.** Regular assessment of goals and progress toward goals; routinely review if changes are needed.

For more information on workflow considerations, see the **Scheduling and Workflow Tip Sheet.**

SHARE ASSESSMENT RESULTS

Share the results of your telehealth assessment with jail facility leadership and staff to demonstrate program value and impact and to confirm areas of future changes.

ACT ON ASSESSMENT RESULTS

- ❖ **Technical Performance**
 - Making software and hardware changes
 - Upgrading bandwidth to support a more seamless connection between the provider and JI patients
 - Coordinating with vendors as needed
- ❖ **Training**
 - Confirming additional or refresher trainings that can be provided to jail facility staff

❖ Acceptance from Providers, Jail Facility Staff, and JIIs

- Identifying whether telehealth implementation has increased facility staff members' workload
- Identifying ways to improve JII patients' experience and reengage them as needed

For more information on staff training and engagement of providers and JIIs, see the **Stakeholder Engagement Tip Sheet**.

❖ Workflow and Processes

- Confirming whether the telehealth implementation disrupted preexisting jail facility schedules
- Updating workflows and/or the physical space to improve safety and security

❖ Financial Performance

- Cost saved around transport of JIIs (Rappaport et al., 2018)
- Cost saved on medical personnel and consultations (Nacci et al., 2002)

For more information on financial assessment, see the **Costs Tip Sheet**.

REFERENCES

Batastini, Ashley, Ashley Jones, Michael Lester, and Riley Davis. 2020. "Initiation of a Multidisciplinary Telemental Health Clinic for Rural Justice-Involved Populations: Rationale, Recommendations, and Lessons Learned." *Journal of Community Psychology* 48(7): 2156-2173.

Krsak, Martin, Alexiss Jeffers, Jagruti Shah, Steven Johnson, and Brian Montague. 2020. "Access to Specialty Services: Opportunities for Expansion of Telemedicine to Support Correctional Health Care in Colorado." *Telemedicine Journal and E-Health* 26(6): 776-783.

Nacci, Peter, C. Allan Turner, Ronald J. Waldron, and Eddie Broyles. May 2002. *Implementing Telemedicine in Correctional Facilities*. Joint Program Steering Group Report. Washington, DC: U.S. Department of Justice—U.S. Department of Defense, NCJ 190310.

Rappaport, Ellen, H. Neal Reynolds, Sharon Baucom, and Thomas Lehman. 2018. "Telehealth Support of Managed Care for a Correctional System: The Open Architecture Telehealth Model." *Telemedicine Journal and E-Health* 24(1): 54-60.

Swift, Christian, Steven Cain, and Michael Needham. 2016. "A Primary Care Telehealth Experience in a US Army Correctional Facility in Germany." *U.S. Army Medical Department Journal*: 76-80.

Wicklund, Eric. 2018. "Picking the Right Telehealth Platform for a Small or Solo Practice." mHealth Intelligence. Retrieved October 2020 from <https://mhealthintelligence.com/features/picking-the-right-telehealth-platform-for-a-small-or-solo-practice>



Woods, Phil, Don Leidl, Janet Luimes, and Lorna Butler. 2019. "Exploring the Delivery of Healthcare in the Police Detention Center Through Remote Presence Technology." *Journal of Forensic Nursing* 15(1): 26-34.

STAKEHOLDER ENGAGEMENT

WHY IS IT IMPORTANT?

Implementing a successful telehealth program will require buy-in from leadership, staff, and jail-involved individuals (JIIs). Leadership and staff should feel confident in the program and have the tools they need to smoothly transition to new operations. Providers should be properly equipped and supported by onsite staff. JIIs should feel comfortable in this new care setting and assured that their medical needs will be met. Stakeholder engagement efforts to facilitate buy-in alongside operational changes can ensure a smooth transition to telehealth care.

ACTIONS TO TAKE

Your facility should consider several types of actions before and during telehealth implementation. These include educating staff, JIIs, and providers on how the program will work; determining their initial concerns; and facilitating regular communication. All parties should feel comfortable voicing questions about the program.

TRAIN AND ENGAGE STAFF

Providing initial and ongoing training to all staff will help ease concerns about the demands of telehealth and ensure that the program is carried out effectively. Specific areas of training include the following:



TECHNOLOGY


- ❖ How to use telehealth equipment
- ❖ How to troubleshoot technical issues (Swift et al., 2016)
- ❖ What users (JIIs, staff, and providers) should expect when operating telehealth equipment

For more information on technical considerations, see the **Telehealth Equipment Selection Tip Sheet**.

WORKFLOW

- ❖ Typical flow of a telehealth session (Maryland Health Care Commission [MHCC], n.d.)
- ❖ Reporting and support structure
- ❖ Regulatory and compliance issues and strategies for addressing them (e.g., whether there are documentation requirements for telehealth encounters) (MHCC, n.d.)

For more information on workflows, see the **Scheduling and Workflow Tip Sheet**.



Although initial training is key, ongoing engagement efforts with staff will ensure the long-term success of your program. Following are some key engagement activities to consider:


- ❖ Assess staff needs.
 - Before initiating the telehealth program, survey staff on their level of knowledge and comfort with technology to determine the extent of training necessary.
 - Create an ongoing communication channel for staff to ask questions and voice concerns.
 - Provide opportunities to assess competency with using technology to target training for staff who might need additional training (MHCC, n.d.).

- ❖ Provide training in a variety of formats.
 - Telehealth vendors may offer educational programs, so take advantage of those and make them available to staff (MHCC, n.d.).
 - Facilities can conduct mock telehealth visits to train and engage staff in a visit that closely resembles a live telehealth session (Batastini et al., 2020; MHCC, n.d.).
 - Include synchronous (real-time) trainings, such as instructor-led seminars, and asynchronous trainings, such as interactive videos, that can be taken when staff have time.
 - Ensure that trainings are available online and on paper.
 - Consider uploading training videos directly to telehealth devices for easy access.

- ❖ Create opportunities for ongoing education.
 - Designate people staff can contact for additional questions or requests for training before, during, and after implementation (MHCC, n.d.).
 - Ensure that ongoing and periodic education is available (MHCC, n.d.).
 - Establish resources that staff can use to practice with the technology frequently (MHCC, n.d.).
 - Solicit ongoing feedback (Krsak et al., 2020).

INFORM AND ENGAGE JAIL-INVOLVED INDIVIDUALS

Telehealth may be unfamiliar to some JIIs, which may make them resistant to the program (Kaftarian, 2019). Informing and engaging JIIs about telehealth can help mitigate initial



resistance. JIs are more likely to respond positively when they understand how the program works and how to use the technology (Batastini and Morgan, 2016; Kaftarian, 2019). The first step is to consider your JI population in context by assessing the following:

EXPERIENCE WITH TECHNOLOGY

- ❖ Do JIs have previous experience using technology and the internet? Do JIs have access to similar technologies in your facility (Kaftarian, 2019)?
- ❖ Do JIs trust technology? Do they have privacy concerns (MHCC, n.d.)?
- ❖ Have the JIs had a bad experience with telehealth in the past (Krsak et al., 2020)?

Example

JIs who express discomfort with or distrust in technology or who have had negative experiences with telehealth in the past may not be suited for virtual treatment and thus may require more training (Batastini and Morgan, 2016; Krsak et al., 2020). On the contrary, JIs who are familiar with technology through using it for court proceedings or release coordination may require less training.

ATTITUDES TOWARD TELEHEALTH

- ❖ Do JIs feel confident that telehealth is as useful as in-person care (Kaftarian, 2019)? Are those with existing needs willing to switch to telehealth? Are those without existing needs comfortable seeking care if the need arises?

By understanding the JI population's experiences and attitudes, you can determine the level and type of education required. For example, if your JI population is technically savvy, you will need to provide less education about technical aspects than if they were not used to technology. Acceptance of telehealth is dose dependent, meaning that the more often JIs are exposed to the program, the more they will accept it (Swift et al., 2016). Providing initial and continuous efforts for education and engagement will help drive acceptance over time.

KEY INFORMATION TO INCLUDE

- ❖ The telehealth service being offered, why it is useful, what they will see that is different from and the same as the current state, and how they will benefit (MHCC, n.d.).
- ❖ Explain and/or demonstrate proper use of technology before initiation (Batastini and Morgan, 2016).
- ❖ If your telehealth program is designed to supplement regularly scheduled in-person visits, communicate this clearly. JIs will be more accepting of the program if they know that telehealth will not replace in-person visits (Batastini et al., 2020; Sherwood et al., 2018).

EDUCATION AND ENGAGEMENT MATERIALS

- ❖ Allot time before the initial telehealth visit to explain the procedure to JIs. It may be beneficial to develop instructional videos that can be uploaded to telecommunication devices and are accessible to JIs.
- ❖ Make sure staff have a clear understanding of the program, so they can answer any questions JIs may have.
- ❖ If many of your JIs speak a language other than English, offer training materials in additional languages or provide accessible translation services.
- ❖ Solicit ongoing feedback (Krsak et al., 2020).

SUPPORT AND ENGAGE PROVIDERS

Telehealth providers are instrumental to a successful telehealth program. They will interact regularly with facility staff and JIs. Efforts should be made to ensure that they are smoothly integrated into the facility workforce and supported in their role.



- ❖ Develop a trusting relationship between your facility staff and telehealth providers (Batastini et al., 2020; Kaftarian, 2019).
- ❖ Emphasize the provider's key role as a member of the care team (Kaftarian, 2019).
- ❖ Empathize with the barriers and frustrations providers and staff may encounter when working with JIs (Batastini et al., 2020).
- ❖ Communicate regularly with telehealth providers to ensure that they feel supported and receive sufficient collateral information (Kaftarian, 2019).
- ❖ Solicit ongoing feedback from telehealth providers (Krsak et al., 2020).

Engaging with providers early can be beneficial when implementing a telehealth program. Providers may have existing telehealth infrastructure that can support your program and guide your selection of technology, communication platforms, and workflows.

IDENTIFY INNOVATORS AND CHAMPIONS

Implementing telehealth at your facility takes time, dedication, and buy-in from all staff. As with any change, before implementing telehealth, it is important to consider staff perspectives. Having someone to champion telehealth and discuss its value with JIs and staff is of paramount importance. The champion should support telehealth throughout the process of planning, implementation, and use.



- ❖ Pinpoint key staff who may be well positioned to serve as champions.
 - Champions should have authority and be well respected by JIIs and jail staff.
 - Champions must be approachable, so staff and JIIs feel that they can ask questions, share concerns, and elicit feedback.
 - If your facility has staff who will organize and facilitate telehealth sessions, they could be effective champions.
 - Onsite clinicians who are assisting with telehealth encounters may also serve as champions.
 - Champions must be able to speak to the benefits of telehealth for staff (e.g., improved safety) and the facility (e.g., reduced transfers).
- ❖ Once you have identified champions, work with them to outline their roles and help identify who will help them do the following:
 - Communicate goals with staff.
 - Help counter resistance to change.
 - Garner excitement, so staff can share that excitement with JIIs.
 - Help set expectations with staff and share how telehealth can benefit JIIs and the facility.
 - Work with offsite partners, like providers, to develop relationships.
 - Review implementation and use on an ongoing basis and recommend changes that optimize telehealth implementation and use. Changes may include adding to telehealth offerings, modifying the workflow, and offering refresher trainings. As clinicians or jail staff gain positive experience with the program, encourage the champion to share these stories. Concrete examples of how the program improved workflow or helped a patient can create buy-in.


For more information on staff roles, see the **Staffing Tip Sheet**.

To identify key ways champions can facilitate buy-in, see the **Scheduling and Workflow Tip Sheet**.

REFERENCES

Batastini, Ashley, Ashley Jones, Michael Lester, and Riley Davis. 2020. "Initiation of a Multidisciplinary Telemental Health Clinic for Rural Justice-Involved Populations: Rationale, Recommendations, and Lessons Learned." *Journal of Community Psychology* 48(7): 2156-2173.

Batastini, Ashley, and Robert Morgan. 2016. "Connecting the Disconnected: Preliminary Results and Lessons Learned from a Telepsychology Initiative with Special Management Inmates." *Psychological Services* 13(3): 283-291.




Kaftarian, Edward. 2019. "Lessons Learned in Prison and Jail-Based Telepsychiatry." *Current Psychiatry Reports* 21(3): 15.

Krsak, Martin, Alexiss Jeffers, Jagruti Shah, Steven Johnson, and Brian Montague. 2020. "Access to Specialty Services: Opportunities for Expansion of Telemedicine to Support Correctional Health Care in Colorado." *Telemedicine Journal and E-Health* 26(6): 776-783.

Maryland Health Care Commission (MHCC). n.d. *Telehealth Readiness Assessment Toolkit*. Baltimore, MD: Author. Retrieved November 30, 2020, from <http://mhcctelehealthtool.herokuapp.com/Telehealth-Readiness-Guidance.pdf>

Sherwood, Brenton, Yu Han, Kenneth Nepple, and Bradley Erickson. 2018. "Evaluating the Effectiveness, Efficiency and Safety of Telemedicine for Urological Care in the Male Prisoner Population." *Urology Practice* 5(1): 44-51.

Swift, Christian, Steven Cain, and Michael Needham. 2016. "A Primary Care Telehealth Experience in a US Army Correctional Facility in Germany." *U.S. Army Medical Department Journal*: 76-80.



TELEHEALTH RESOURCES

WHY IS IT IMPORTANT?

These additional resources can help guide your telehealth implementation.

READINESS & IMPLEMENTATION GUIDANCE

- [Telehealth Resource Center](#)
- [Checklist for Initiating Telehealth Services \[PDF\]](#)
- [The California Telehealth Resource Center Telehealth Program Developer Kit \[PDF\]](#)
- [Maryland Health Care Commission Telehealth Readiness Assessment Tool](#)
- [US Dept. of Justice - Implementing Telemedicine in Correctional Facilities \[PDF\]](#)
- [American Health Information Management Association Telemedicine Toolkit \[PDF\]](#)

TELEHEALTH ASSESSMENT

- [The National Telehealth Technology Assessment Resource Center](#)
- [Lexicon of Assessment and Outcomes Measures for Telemental Health \[PDF\]](#)

POLICY GUIDANCE

- [Center for Connected Health Policy](#)
- [Use of Telemedicine While Providing Medication Assisted Treatment \(MAT\) \[PDF\]](#)
- [Health Insurance Portability and Accountability Act of 1996 \(HIPAA\)](#)

PROFESSIONAL ORGANIZATIONS

- [Southern States Correctional Association](#)
- [American Correctional Association](#)
- [American Jail Association](#)
- [National Commission on Correctional Health Care](#)
- [American Telemedicine Association](#)